



**TDI EXPERT MEETING**  
**November 5<sup>th</sup> 2020**


---

MINISTRY OF HEALTH OF REPUBLIC OF SERBIA

DANIJELA NIKOLIC

# The impact of COVID-19 on TDI and other treatment data collection in 2020

---




# DATA FOR 2020


16 Centres reporting about new and all clients entering treatment

---

## THE NEW CLIENTS ENTERING TREATMENT




## ALL CLIENTS ENTERING TREATMENT




# DATA FOR 2020

## OTHER SUBSTANCES THAN OPIOIDS




## OPIOIDS



## DATA FOR 2020

Table 5

- The largest number is on OST
- Data from the field show that a larger number of patients are in demand for buprenorphine therapy compared to methadone
- Psychiatrists agree and wherever conditions exist they apply it




# SPECIAL HOSPITAL FOR ADDICTION DISEASES – TEODORA DRAJZERA STREET No 44, BELGRADE

DATA 2019 -2020

compering data

- Compering the same parameters for 2019 and 2020 at the same institution in relation to the total number
- Decreased



## DATA FOR 2019

5 Reporting centers (Belgrade, Novi Sad, Niš, Čačak, Kragujevac )

---

Table 1

	January	February	March	April	May	Jun	July	August	September	October	November	December
All	2914	2830	3022	3073	3114	3163	3214	3227	3250	3267	3312	3352
New	70	65	54	69	62	66	68	55	67	69	100	76

Table 2

OST	January	February	March	April	May	Jun	July	August	September	October	November	December
All	1888	1869	1926	1957	1961	1999	2040	2059	2086	2119	2140	2177
New	37	30	39	48	41	39	53	40	46	36	42	31



## Observations, conclusions, suggestions and questions

---

- Basic demographic data and types of drugs for which addicts sought treatment were undisturbed and easily conducted
- All patients who were on therapy were cared for, and those who sought help received it. All patients have been provided with every possible kind of support in preserving their health and epidemiological safety
- The number of new patients decreased
- Revision of TDi records should be considered during the epidemic caused by COVID-19
- Instruments for Internet and telephone interventions, as well as a methodology for keeping records of these interventions should be developed by EMCDDA
- Questions