

Overview of the last TDI data from the 2012 Annual Report

Bruno Guarita, Linda Montanari TDI 12th Annual Expert Meeting Lisbon, 20-21 September 2012

TDI data submitted to the EMCDDA in 2011

- Data collected from 30 countries;
- 69 valid Fonte reports;
 - 25 = Outpatient;
 - 23 = Inpatient;
 - 08 = Prison;
 - 07 = Low-threshold;
 - 03 = General Practitioner;
 - 04 = Other.
- More than 350.000 data points.

Results


All clients


- N = 472000
- Mean age = 32
- Gender ratio (m/f) = 4.1
- Mean age at first use = 21
- % injecting = 21.3%
- Opioids = 48%
- Cocaine = 15%
- Cannabis = 25%
- Stimulants = 6%
- Other = 6%

New clients


- N = 178 000
- Mean age = 31
- Gender ratio (m/f) = 4.3
- Mean age at first use = 20
- % injecting = 12.5%
- Opioids = 30%
- Cocaine = 21%
- Cannabis = 37%
- Stimulants = 6%
- Other = 6%


Coverage (percentage of units covered)























Countries where the highest percentage for primary drug is **Opioids**









Countries where the highest percentage for primary drug is **Cocaine**




Countries where the highest percentage for primary drug is **Stimulants**




Countries where the highest percentage for primary drug is **Cannabis**




Rates of injection - countries with rates lower than 10%



Rates of injection - countries with rates between 11% and 30%




Rates of injection - countries with rates higher than 30%



Rates of injection (TDI)

Incidence of hiv among Injecting Drug Users (rates per million population)





Thanks!

Bruno.Guarita@emcdda.europa.eu